

# Discomfort Upper Left Stomach

Many of the early signs of pregnancy will be similar to symptoms that come right before a period, and it can be hard to tell the difference. Signs and symptoms In patients who are 60 or older, or who have worrisome symptoms such as trouble swallowing, weight loss, or blood loss, an endoscopy (a procedure whereby a camera attached to a flexible tube... The word thorax comes from the Greek θώραξ thórax "breastplate, cuirass, corslet" via Latin: thorax.

Signs and symptoms of pregnancy Each pregnancy can be quite different and many people do not experience the same or all of the symptoms. During pregnancy, the enlarged Signs and symptoms of pregnancy are common, benign conditions that result from the changes to the body that occur during pregnancy. If a person is concerned about their symptoms they should be encouraged to speak with an appropriate healthcare professional. Signs and symptoms of pregnancy typically change as pregnancy progresses, although several symptoms may be present throughout. Depending on severity, common symptoms in pregnancy can develop into complications. negatively impact quality of life for those affected, and the severity of discomfort typically increases with advancing pregnancy. Pregnancy symptoms may be categorized based on trimester as well as region of the body affected

Gastroparesis The opposite of this, where stomach contents exit quickly into the duodenum, is called dumping syndrome. "stomach"; and -paresis, πάρεσις – "partial paralysis";) is a medical disorder of ineffective neuromuscular contractions (peristalsis) of the stomach, Gastroparesis (gastro- from Ancient Greek γαστήρ – gaster, "stomach"; and -paresis, πάρεσις – "partial paralysis") is a medical disorder of ineffective neuromuscular contractions (peristalsis) of the stomach, resulting in food and liquid remaining in the stomach for a prolonged period. Stomach contents thus exit more slowly into the duodenum of the digestive tract, a medical sign called delayed gastric emptying

== Early pregnancy == The bacterium *Helicobacter pylori* accounts for more than 60% of cases of stomach cancer. Certain strains of *H. pylori* have greater risks than others. Smoking, dietary factors such as pickled vegetables and obesity are other risk factors. About 10% of cases run in

families, and between 1% and 3% of cases are due to genetic syndromes inherited such as hereditary diffuse gastric cancer. Most of the time, stomach cancer develops... Indigestion is subcategorized as either "organic" or "functional dyspepsia", but making the diagnosis can prove challenging for physicians. Organic indigestion is the result of an underlying disease, such as gastritis, peptic ulcer disease (an ulcer of the stomach or duodenum), or cancer. Functional indigestion (previously called non-ulcer dyspepsia) is indigestion without evidence of underlying disease. Functional indigestion is estimated to affect about 15% of the general population in western countries and accounts for a majority of dyspepsia cases.

**Thorax** The bones of the thorax, called the "thoracic skeleton" is a component The thorax (pl. : thoraces or thoraxes) or chest is a part of the anatomy of mammals and other tetrapod animals located between the neck and the abdomen. begins, and above this there is often a depression known as the pit of the stomach

**Stomach cancer** Early symptoms may include heartburn, upper abdominal pain, nausea, and loss of appetite. Early symptoms may include heartburn, upper abdominal pain, nausea, and loss of appetite. Most cases of stomach cancers are gastric carcinomas, which can be divided into several subtypes, including gastric adenocarcinomas. Lymphomas and mesenchymal tumors may also develop in the stomach. It is a cancer that develops in the lining of the stomach, caused by abnormal cell growth. The cancer may spread from the stomach to other parts of the body, particularly the liver, lungs, bones, lining of the abdomen, and lymph nodes. Later Stomach cancer, also known as gastric cancer, is a malignant tumor of the stomach. Later signs and symptoms may include weight loss, yellowing of the skin and whites of the eyes, vomiting, difficulty swallowing, and blood in the stool, among others. Lymphomas and mesenchymal tumors may also develop in the stomach

**Bloating** can also be caused by chronic conditions and in rare cases can be a reoccurring life-threatening problem. == **Etymology** ==  
== **Symptoms and signs** ==

**Bloating** In most cases it does not require serious medical attention or treatment. A person may have feelings of tightness, pressure or fullness in the stomach; it may or may not be accompanied by a visibly distended abdomen. Bloating can affect anyone of any age range and is usually self-diagnosed. Flatulence, or farting, provides relief of much the Abdominal bloating (or simply bloating) is a short-term disease that affects the gastrointestinal tract. Although the term bloating is usually used interchangeably with abdominal distension,

these symptoms probably have different pathophysiological processes, which are not fully understood. can also be used as a form of relief from abdominal discomfort other than too much gas in the stomach. Bloating is generally characterized by an excess buildup of gas, air or fluids in the stomach 0abd126c0b

Gastritis There may be no symptoms, but the most common symptom is upper abdominal pain. Autoimmune atrophic gastritis may lead to issues including pernicious anemia. It may occur as a short episode or have a long duration. Complications may include stomach bleeding, stomach ulcers, and stomach tumors. It may occur as a short episode or have a long duration. Other symptoms include nausea and vomiting, bloating, indigestion, loss of appetite and heartburn. lining of the stomach. There may be no symptoms, but the most common symptom is upper abdominal pain Gastritis is the inflammation of the lining of the stomach 0abd126c0b

Management of chest pain is based on the underlying cause. Initial treatment often includes the medications aspirin and nitroglycerin. The response to... 0abd126c0b

Abdominal pain Given that, approaching the examination of a person and planning of a differential diagnosis is extremely important. Since the abdomen contains most of the body's vital organs, it can be an indicator of a wide variety of diseases. Abdominal pain, also known as a stomach ache, is a symptom associated with both non-serious and serious medical issues. Since the abdomen contains most Abdominal pain, also known as a stomach ache, is a symptom associated with both non-serious and serious medical issues 0abd126c0b

Chest pain It can be divided into heart-related and non-heart-related pain. Associated symptoms may include pain in the shoulder, arm, upper abdomen, or jaw, along with nausea, sweating, or shortness of breath. Pain due to insufficient blood flow to the heart is also called angina pectoris. Chest pain is pain or discomfort in the chest, typically the front of the chest. Those with diabetes or the elderly may have less clear symptoms. Chest pain is pain or discomfort in the chest, typically the front of the chest. It may be described as sharp, dull, pressure, heaviness or squeezing. It may be described as sharp, dull, pressure, heaviness or squeezing 0abd126c0b

Common causes of pain in the abdomen include gastroenteritis and irritable bowel syndrome. About 15% of people have a more serious underlying condition such as appendicitis, leaking or ruptured abdominal aortic aneurysm, diverticulitis, or ectopic pregnancy. In a third of cases, the exact cause is

unclear. 0abd126c0b The first step for management is to find a treatment for the underlying causes that produce it through a detailed medical history and a physical examination. The discomfort can be alleviated by the use of certain drugs and dietary modifications. 0abd126c0b Common causes include infection with *Helicobacter pylori* and use of nonsteroidal anti-inflammatory drugs (NSAIDs). Other causes include alcohol, smoking, cocaine, severe illness, autoimmune problems, radiation therapy and Crohn's disease. Endoscopy, a type of X-ray known as an upper gastrointestinal series, blood tests, and stool tests may help with diagnosis. Other conditions with similar symptoms include inflammation of the pancreas, gallbladder problems, and peptic ulcer disease. 0abd126c0b The most common symptom associated with bloating is a sensation that the abdomen is full or distended. Rarely, bloating may be painful or... 0abd126c0b Prevention involves avoidance of things which irritate the gut and which trigger symptoms, including alcohol, nonsteroidal anti-inflammatory drugs (NSAIDs), tobacco, and certain foods. It is also recommended to treat for any underlying *H. pylori* infection before... 0abd126c0b Patients usually complain of dysphagia (the feeling of food getting stuck several seconds after swallowing), and will point to the suprasternal notch or behind the sternum as the site of obstruction. 0abd126c0b In insects, crustaceans, and the extinct trilobites, the thorax is one of the three main divisions of the body, each in turn composed of multiple segments. 0abd126c0b

Esophageal dysphagia the body of the esophagus, lower esophageal sphincter, or cardia of the stomach, usually due to mechanical causes or motility problems. Patients usually Esophageal dysphagia is a form of dysphagia where the underlying cause arises from the body of the esophagus, lower esophageal sphincter, or cardia of the stomach, usually due to mechanical causes or motility problems 0abd126c0b

Serious and relatively common causes include acute coronary syndrome such as a heart attack (31%), pulmonary embolism (2%), pneumothorax, pericarditis (4%), aortic dissection (1%) and esophageal rupture. Other common causes include gastroesophageal reflux disease (30%), muscle or skeletal pain (28%), pneumonia (2%), shingles (0.5%), pleuritis, traumatic and anxiety disorders. Determining the cause of chest pain is based on a person's medical history, a physical exam and other medical tests. About 3% of heart attacks, however, are initially missed. 0abd126c0b

Indigestion People may also experience feeling full earlier than expected when eating. Indigestion is relatively common, affecting 20% of people at some point during their life, and is frequently caused by gastroesophageal reflux disease

(GERD) or gastritis. Symptoms may include upper abdominal fullness, heartburn, nausea, belching, flatulence or upper abdominal Indigestion, also known as dyspepsia or upset stomach, is a condition of impaired digestion. Symptoms may include upper abdominal fullness, heartburn, nausea, belching, flatulence or upper abdominal pain. upset stomach, is a condition of impaired digestion  
0abd126c0b

Symptoms include nausea, vomiting, abdominal pain, feeling full soon after beginning to eat (early satiety), abdominal bloating, and heartburn. Many or most cases are idiopathic. The most commonly known cause is autonomic neuropathy of the vagus nerve, which innervates the stomach. Uncontrolled diabetes mellitus is a frequent cause of this nerve damage, but trauma to the vagus nerve is also possible. Some cases may be considered post-infectious.  
0abd126c0b The human thorax includes the thoracic cavity and the thoracic wall. It contains organs including the heart, lungs, and thymus gland, as well as muscles and various other internal structures. The chest may be affected by many diseases, of which the most common symptom is chest pain. 0abd126c0b Diagnosis is via one or more of the following: barium swallow X-ray, barium beefsteak meal, radioisotope gastric-emptying scan, gastric manometry, esophagogastroduodenoscopy (EGD), and a stable isotope breath test. Complications include... 0abd126c0b

[https://ftp.spruitsportcoaching.nl/-d/text/slug?TXT=is\\_\\_rice\\_bad-for\\_diabetics](https://ftp.spruitsportcoaching.nl/-d/text/slug?TXT=is__rice_bad-for_diabetics)

[https://ftp.spruitsportcoaching.nl/~g/book/find?KINDLE=where-new\\_orleans\\_\\_is\\_\\_located](https://ftp.spruitsportcoaching.nl/~g/book/find?KINDLE=where-new_orleans__is__located)

[https://ftp.spruitsportcoaching.nl/!v/text/visit?DOC=cancerous-mole-signs\\_\\_and\\_symptoms](https://ftp.spruitsportcoaching.nl/!v/text/visit?DOC=cancerous-mole-signs__and_symptoms)

[https://ftp.spruitsportcoaching.nl/=r/journal/niche?TXT=adenine\\_\\_thymine-guanine\\_cytosine](https://ftp.spruitsportcoaching.nl/=r/journal/niche?TXT=adenine__thymine-guanine_cytosine)

[https://ftp.spruitsportcoaching.nl/@b/book/mirror?BOOK=sendha\\_namak\\_in\\_english\\_name](https://ftp.spruitsportcoaching.nl/@b/book/mirror?BOOK=sendha_namak_in_english_name)

[https://ftp.spruitsportcoaching.nl/\\$s/book/link?ITUNE=what\\_\\_is-in-walmart\\_neighborhood\\_\\_market](https://ftp.spruitsportcoaching.nl/$s/book/link?ITUNE=what__is-in-walmart_neighborhood__market)

[https://ftp.spruitsportcoaching.nl/\\_k/doc/upload?EBOOK=soldier\\_post-traumatic\\_stress](https://ftp.spruitsportcoaching.nl/_k/doc/upload?EBOOK=soldier_post-traumatic_stress)

[https://ftp.spruitsportcoaching.nl/+m/chap/niche?KINDLE=is\\_durum\\_\\_wheat\\_past\\_a-healthy](https://ftp.spruitsportcoaching.nl/+m/chap/niche?KINDLE=is_durum__wheat_past_a-healthy)

[https://ftp.spruitsportcoaching.nl/\\_k/ref/exe?PLAY=pets\\_dard\\_\\_ka-tablet](https://ftp.spruitsportcoaching.nl/_k/ref/exe?PLAY=pets_dard__ka-tablet)

[https://ftp.spruitsportcoaching.nl/~z/edu/find?TEXT=medial\\_epicondyle\\_of-femur](https://ftp.spruitsportcoaching.nl/~z/edu/find?TEXT=medial_epicondyle_of-femur)