

# Examples Of Learning Disabilities

== Causes == Many behaviors that a learner observes, remembers, and imitates are actions that models display and display modeling, even though the model may not intentionally try to instill a particular behavior. A child may learn to swear, smack, smoke, and deem other inappropriate behavior acceptable through poor modeling. Albert Bandura claims that children continually learn desirable and undesirable behavior through observational learning. Observational learning suggests that an individual's environment, cognition,... According to the World Health Organization (WHO), disabled people make up around 15% of the world's population. Disabled children are three times more likely to face violence than non-disabled children, and there is an approximate 50% increased risk of experiencing violence for adults with mental health conditions. long-term physical, mental, intellectual or sensory impairments which in interaction with various barriers may hinder [a person's] full and effective participation in society on an equal basis with others. Disabilities have been perceived differently throughout history, through a variety of different theoretical lenses. There are two main models that attempt to explain disability in our society: the medical model and the social model. The medical model serves as a theoretical framework... The most common developmental disabilities are:

Nonverbal learning disorder Proposed additional diagnostic criteria include intact verbal intelligence, and deficits in the following: visuoconstruction abilities, speech prosody, fine motor coordination, mathematical reasoning, visuospatial memory, and social skills. "Nonverbal learning disabilities" were further discussed by Myklebust in 1975 as representing a subtype of learning "disability" with Nonverbal learning disorder (NVLD or NLD) is a proposed neurodevelopmental disorder characterized by core deficits in nonverbal skills, especially visual-spatial processing. non-linguistic learning problems. People with this condition have normal or advanced verbal intelligence and significantly lower nonverbal intelligence. A review of papers found that proposed diagnostic criteria were inconsistent. NVLD is not recognised by the DSM-5

Autism spectrum disorder (ASD, formerly the PDD umbrella covering Asperger syndrome and classic autism) causes difficulties in social communication as well as repetitive behaviors and restrictive interests. ASD affects speech, understanding body language and social interactions, as well as causing difficulty in understanding others' social cues (such as sarcasm and feelings). ASD also causes repetitive behaviors known as stimming, often as a... The World Health Organization does not differentiate between physical and mental disabilities.

Disability abuse The abuse is not limited to those who are visibly disabled or physically deformed, but also includes those with learning, intellectual and developmental disabilities or mental illnesses. This type of abuse has also been considered a hate crime. Disability hate crime Institutional abuse Sexual abuse of people with developmental disabilities Violence against people with disabilities Disability Disability abuse is when a person with a disability is abused physically, financially, sexually and/or psychologically due to the person being disabled 0d532ce4e5

Intellectual disability adaptive functioning. Intellectual disabilities may first be apparent during school age. The causes of the disability may be either developmental or genetically Intellectual disability, also disorder of intellectual development 0d532ce4e5

Invisible disability Invisible disabilities, also known as hidden disabilities or non-visible disabilities (NVDs), are disabilities that are not immediately apparent. People with invisible disabilities may face stigma in their workplace, school, and community as it can be difficult to understand their unique lived experience. Invisible Invisible disabilities, also known as hidden disabilities or non-visible disabilities (NVDs), are disabilities that are not immediately apparent. Invisible disabilities range from chronic illnesses, fatigue, autism, ADHD, mental health disorders, and hearing/vision loss. Invisible disabilities can also include issues with mobility, such as a sitting disability like chronic back pain, joint problems, or chronic pain 0d532ce4e5

== Signs and symptoms == 0d532ce4e5 Motor disorders, and learning difficulties such as dyslexia, Tourette's syndrome, dyspraxia, dysgraphia, dyscalculia, and nonverbal learning disorder. 0d532ce4e5 There are a number of non-standard treatments for developmental and learning disabilities. There is a call for alternative therapies particularly when a condition lacks a reliable remediation. For example, there is no cure for autism; the main goals of mainstream behavioral and medical management are to lessen associated deficits and family distress, and to increase quality of life and functional independence. Some alternative therapies, such as gluten-free, casein-free diets, may be appealing to some parents because the... 0d532ce4e5 and known as learning difficulty (in the United Kingdom and different from learning disability), is a generalized neurodevelopmental disorder characterized by significant impairment in intellectual and adaptive functioning. Intellectual disabilities may first be apparent during school age. The causes of the disability may be either developmental or genetically inherited. Children with intellectual disability typically have an intelligence quotient (IQ) below 70 and deficits in at least two adaptive behaviors that affect everyday living. 0d532ce4e5 Abuse can occur in multiple ways, most commonly seen as physical, emotional, or sexual. Those in the disability population... 0d532ce4e5 == Risk factors for abuse == 0d532ce4e5 Physical disabilities can be caused by a variety of factors. While some physical disabilities can be acquired before birth (pre-natal), others might be a result of a physical injury or illness (post-natal). Some disabilities may be gained before or after birth, such as vision loss. 0d532ce4e5

Learning disability Given the "difficulty learning in a typical manner", this does not exclude the ability to learn in a different manner. Therefore, some people can be more accurately described as having a "learning difference", thus avoiding any misconception of being disabled with a possible lack of an ability to learn and possible negative stereotyping. Individuals with ADHD Learning disability, or learning disorder, is a condition in the brain that causes difficulties comprehending or processing information and can be caused by several different factors. In the United Kingdom, the term learning disability generally refers to an intellectual disability, while conditions such as dyslexia and dyspraxia are usually referred to as learning difficulties. studied in connection with learning disabilities, but it is not actually included in the standard definitions of learning disabilities 0d532ce4e5

Alternative therapies for developmental and learning disabilities Treatments include changes in diet, dietary supplements, biofeedback, chelation therapy, homeopathy, massage and yoga. Alternative therapies for developmental and learning disabilities include a range of practices used in the treatment of dyslexia, ADHD, autism spectrum disorders Alternative therapies for developmental and learning disabilities include a range of practices used in the treatment of dyslexia, ADHD, autism spectrum disorders, Down syndrome and other developmental and learning disabilities. These therapies generally rely on theories that have little scientific basis, lacking well-controlled, large, randomized trials to demonstrate safety and efficacy; small trials that have reported beneficial effects can be generally explained by the ordinary waxing and waning of the underlying conditions 0d532ce4e5

Observational learning Particularly in childhood, a model is someone of authority or higher status in an environment. g. Observational learning is learning that occurs through observing the behavior of others. mobbing in birds), but other processes may be involved as well. In humans, this form of learning seems to not need reinforcement to occur, but instead, requires a social model such as a parent, sibling, friend, or teacher with surroundings. In animals, observational learning is often based on classical conditioning, in which an instinctive behavior is elicited by observing the behavior of another (e. It is a form of social learning which takes various forms, based on various processes. It is a form of social learning which takes various forms, based Observational learning is learning that occurs through observing the behavior of others 0d532ce4e5

Various types of tools and accommodations are available to people with disabilities, which may keep their disability hidden, or make it apparent. For example, some people with visual or auditory disabilities who do not wear glasses or hearing aids, or who use contacts or discreet hearing aids, may not be obviously disabled. People affected may not use mobility aids on some days, or at all, because severity of pain or level of mobility may change from day to day. This may increase stigma, as society may question if they really need mobility aids if they are only using them part of the time. It is known as the suspicion... 0d532ce4e5 Disabled people are easy targets for predators as they may not have the resources or abilities to escape an abusive situation or communicate about the occurrences. Hard of

hearing persons are placed at twice the risk for neglect and emotional abuse in comparison to other disabilities and nearly four times in regards to physical abuse.

**Developmental disability** Developmental disability that affects all areas of a child's development is sometimes referred to as global developmental delay. Developmental disabilities cause individuals living with them many difficulties in certain areas of life, especially in "language, mobility, learning, self-help, and independent living". Developmental disabilities cause individuals living with them many difficulties in certain areas of life, especially in "language, mobility, learning, self-help Developmental disability is a diverse group of chronic conditions, comprising mental or physical impairments that arise before adulthood. Developmental disabilities can be detected early on and persist throughout an individual's lifespan

**Disability** mentally due to the person having a disability. As many disabilities are not visible (for example, asthma, learning disabilities) some abusers cannot rationalize Disability is the experience of any condition that makes it more difficult for a person to do certain activities or have equitable access within a given society. A disability may be easily visible, or invisible in nature. Disabilities may be cognitive, developmental, intellectual, mental, physical, sensory, or a combination of multiple factors. The United Nations Convention on the Rights of Persons with Disabilities defines disability as including:. Historically, disabilities have only been recognized based on a narrow set of criteria—however, disabilities are not binary and can present uniquely depending on the individual. Disabilities can be present from birth or can be acquired during a person's lifetime

**Prenatal disabilities** are acquired before birth. These may be due to diseases or substances that the mother has been exposed to during pregnancy, embryonic or fetal developmental accidents... NVLD symptoms can overlap with symptoms of autism, bipolar disorder, and attention deficit hyperactivity disorder (ADHD). For this reason, some claim a diagnosis of NVLD is more appropriate in some subset of these cases. While learning disability and learning disorder are often used interchangeably, they differ in many ways. Disorder refers to significant learning problems in an academic area. These problems, however, are not enough to warrant an official diagnosis. Learning disability, on the other hand, is an official clinical diagnosis, whereby the individual meets certain criteria, as determined by a professional (such as a psychologist, psychiatrist, speech-language pathologist, or paediatrician... == Treatment needs == According to the DSM-5, intellectual functions include reasoning, problem solving, planning, abstract thinking, judgment, academic learning, and learning from experience. Deficits in these functions must be confirmed by clinical evaluation and individualized standard IQ testing. On the other hand, adaptive behaviors include the social, developmental, and practical skills people learn to perform tasks in their everyday lives. Deficits in adaptive functioning often compromise an individual's independence and ability to meet their social responsibility. Age related deficits of memory and... People with physical

disabilities may face persecution and discrimination. 0d532ce4e5

Physical disability The term physical disability is very broad, and a range of disabilities are included. The term physical disability is very broad, and a range of disabilities are included. walking or eating). Some examples of physical disabilities include: blindness, deafness A physical disability is a limitation on a person's physical functioning or limitations in executing activities (e. g. The severity of impairments and restriction in daily activities vary widely between different types of physical disability. Some examples of physical disabilities include: blindness, deafness, respiratory disorders, epilepsy and some genetic disorders. An inclusive and accessible environment may mitigate many restrictions. eating) 0d532ce4e5

== Human == 0d532ce4e5

[https://ftp.spruitsportcoaching.nl/^p/edu/list?BOOK=sinus-headache\\_at-the\\_back\\_of\\_head](https://ftp.spruitsportcoaching.nl/^p/edu/list?BOOK=sinus-headache_at-the_back_of_head)

[https://ftp.spruitsportcoaching.nl/+i/doc/url?MD=how\\_do\\_i\\_find-the\\_median](https://ftp.spruitsportcoaching.nl/+i/doc/url?MD=how_do_i_find-the_median)

[https://ftp.spruitsportcoaching.nl/@n/book/dl?BOOK=how\\_do-infants\\_breathe\\_in\\_the-womb](https://ftp.spruitsportcoaching.nl/@n/book/dl?BOOK=how_do-infants_breathe_in_the-womb)

[https://ftp.spruitsportcoaching.nl/-c/ppt/dl?PUB=holy\\_name\\_hospital\\_teaneck\\_nj](https://ftp.spruitsportcoaching.nl/-c/ppt/dl?PUB=holy_name_hospital_teaneck_nj)

[https://ftp.spruitsportcoaching.nl/^r/book/list?DOC=how\\_to-cure-hiccups](https://ftp.spruitsportcoaching.nl/^r/book/list?DOC=how_to-cure-hiccups)

[https://ftp.spruitsportcoaching.nl/+f/ppt/niche?PUB=cities\\_beginning\\_with-x](https://ftp.spruitsportcoaching.nl/+f/ppt/niche?PUB=cities_beginning_with-x)

[https://ftp.spruitsportcoaching.nl/@m/pdf/list?BOOK=abstract\\_topics\\_for-group\\_discussion](https://ftp.spruitsportcoaching.nl/@m/pdf/list?BOOK=abstract_topics_for-group_discussion)

[https://ftp.spruitsportcoaching.nl/!e/pub/mirror?EPUB=elevate-meaning\\_in\\_gujarati](https://ftp.spruitsportcoaching.nl/!e/pub/mirror?EPUB=elevate-meaning_in_gujarati)

[https://ftp.spruitsportcoaching.nl/=z/short/mirror?EPUB=j\\_ba\\_fofi\\_congolese\\_giant\\_spider](https://ftp.spruitsportcoaching.nl/=z/short/mirror?EPUB=j_ba_fofi_congolese_giant_spider)

[https://ftp.spruitsportcoaching.nl/~z/course/slug?PDF=metropolitan\\_borough\\_of\\_dudley-united-kingdom](https://ftp.spruitsportcoaching.nl/~z/course/slug?PDF=metropolitan_borough_of_dudley-united-kingdom)