

# Definition Of Cul De Sac

Retains the full thickness of the anterior vaginal wall. == Classification == The two main islands are Basse-Terre (west) and Grande-Terre (east), which form a butterfly shape as viewed from above, the two 'wings' of which are separated by the Grand Cul-de-Sac Marin, Rivière Salée and Petit Cul-de-Sac Marin. More than half of Guadeloupe's land surface consists of the 847.8 km<sup>2</sup> Basse-Terre. The island is mountainous, containing such peaks as Mount Sans Toucher (4,442 feet; 1,354 metres) and Grande Découverte (4,143 feet; 1,263 metres), culminating in the active volcano La Grande Soufrière, the highest mountain peak in the Lesser Antilles with an elevation of 1,467 metres (4,813 ft). In contrast Grande-Terre is mostly flat, with rocky coasts to the north, irregular hills at the centre, mangrove at the southwest, and white sand beaches sheltered by coral reefs along the southern... == Structure == In men, the region corresponding to the rectouterine pouch is the rectovesical pouch, which lies

between the urinary bladder and rectum. "Dead end" is not the most commonly used expression in all English-speaking regions. Official terminology and traffic signs include many alternatives; some are only used regionally. In the UK, a dead end residential street is sometimes called a close. In the United States, a cul-de-sac is often not an exact synonym for "dead end," as it refers explicitly to... This hernia is so named because it is a herniation of the... The procedure was inaugurated by Albert... At the lowest level of the hierarchy, cul-de-sac streets, by definition non-connecting, link with the next order street, a primary or secondary "collector"—either a ring road that surrounds a neighbourhood... Anterior enterocele is rare. It may occur after cystectomy or hysterectomy. In these cases, the anterior wall of the vagina is weakened or missing due to loss of support from the bladder. In women, the rectouterine pouch is the deepest point of the peritoneal cavity. It is posterior to the uterus, and anterior to the rectum. Its anterior boundary is formed by the posterior fornix of the vagina. The pouch on the other side of the uterus near to the anterior fornix is the vesicouterine pouch. == Gallery == Anterior enterocele (develops in the vesicovaginal space).

Rectouterine pouch (rectovaginal pouch, cul-de-sac, or formerly pouch of Douglas) is the extension of the peritoneum into the space between the posterior wall of the uterus and The rectouterine pouch (rectovaginal pouch, cul-de-sac, or formerly pouch of Douglas) is the extension of the peritoneum into the space between the posterior wall of the uterus and the rectum in the human female 460409fadd

Culdoscopy The word culdoscopy (and culdoscope) is derived from the term cul-de-sac, which means literally in French "bottom of a sac", and refers to the rectouterine pouch (or called the pouch of Douglas). introduction of a culdoscope through the posterior vaginal wall. The word culdoscopy (and culdoscope) is derived from the term cul-de-sac, which means Culdoscopy is an endoscopic procedure performed to examine the rectouterine pouch and pelvic viscera by the introduction of a culdoscope through the posterior vaginal wall 460409fadd

Street hierarchy At the lowest level of the hierarchy, cul-de-sac streets, by definition non-connecting, link with the next order street, The street hierarchy is an urban planning technique for laying out road networks that exclude automobile through-traffic from developed areas. g. Street hierarchy restricts or eliminates

direct connections between certain types of links, for example residential streets and arterial roads, and allows connections between similar order streets (e. arterials) are connected by through streets of both lower order levels (e. minor arterials or collectors. g. local and collector). An ordering of roads and their classification can include several levels and finer distinctions as, for example, major and minor arterials or collectors. g. By contrast, in many regular, traditional grid plans, as laid out, higher order roads (e. g. arterial to arterial) or between street types that are separated by one level in the hierarchy (e. arterial to highway and collector to arterial). It is conceived as a hierarchy of roads that embeds the link importance of each road type in the network topology (the connectivity of the nodes to each other) 460409fadd

Dead-end street A dead end, also known as a cul-de-sac (/ˈkʌldəsæk, ˈkʊl-/; French: [kydsak], lit. 'bag bottom'), a no-outlet road, a no-exit road or a no through road, is a street with only one combined inlet and outlet. &#039;bag bottom&#039;), a no-outlet road, a no-exit road or a no through road A dead end, also known as a cul-de-sac (; French: [kydsak], lit 460409fadd

Culdoscopy is performed with the patient in a knee chest position under local or general anesthesia. There is no insufflation of the abdomen as necessary in laparoscopy. There is no abdominal incision, the entry point in the vagina is closed with a suture. 460409fadd Posterior enterocele (develops in the rectovaginal space, also termed the pouch of Douglas or the cul-de-sac). 460409fadd The culdoscope is a non-flexible endoscope, basically a modified laparoscope. A trocar is first inserted through the vagina into the posterior cul-de-sac, the space behind the cervix, allowing then the entry of the culdoscope. Due to the position of the patient intestines fall away from the pelvic organs which can then be inspected. Conditions diagnosable by culdoscopy include tubal adhesions (causing sterility), ectopic pregnancy, and salpingitis. Culdoscopy allows the performance of minor procedures such as tubal sterilization. 460409fadd Street networks should in general be connected. Connected or 'permeable' networks encourage walking and cycling and make places easier to navigate through. 460409fadd After passing over the fundus of the uterus, the peritoneum extends inferiorly along the entire posterior aspect of the uterus, reaching the posterior vaginal wall before reflecting superior-ward onto the anterior aspect of the rectal ampulla (i.e. the inferior portion of the rectum). 460409fadd Permeability is a central principle of New Urbanism, which favours

urban designs based upon the 'traditional' (particularly in a North American context) street grid. New Urbanist thinking has also influenced Government policy in the United Kingdom, where the Department for Transport Guidance Manual for Streets says: On defecography, enterocele is defined as the presence of small bowel between the rectum and the vagina. The hernia must reach lower than the...

Culdoscope cul-de-sac was a dead-end street (or a dead-end way), a blind alley. "Culdoscope definition - Culdoscope is an instrument, a kind of endoscope, used to visualize female pelvic organs, introduced through the vagina into the cul-de-sac (which is also called the rectouterine pouch or the pouch of Douglas). com. Answers. "culdoscope: Definition from Answers. The procedure of inserting the culdoscope into the rectouterine pouch is termed culdoscopy. com"

== References ==

Geography of Guadeloupe More than half of Guadeloupe's land Guadeloupe

is an archipelago of more than 12 islands, as well as islets and rocks situated where the northeastern Caribbean Sea meets the western Atlantic Ocean. It is located in the Leeward Islands in the northern part of the Lesser Antilles, a partly volcanic island arc. the two "wings" of which are separated by the Grand Cul-de-Sac Marin, Rivière Salée and Petit Cul-de-Sac Marin. To the north lie Antigua and Barbuda and the British Overseas Territory of Montserrat, with Dominica lying to the south

The International Federation of Pedestrians proposed calling such streets "living end streets" and to provide signage at the entry of the streets that clearly indicates non-automotive permeability. This would retain the dead end's primary function as a non-through road, but establish complete pedestrian and bicycle network connectivity.

Enterocoele Posterior enterocoele (develops in the rectovaginal space, also termed the pouch of Douglas or the cul-de-sac). as types of cul-de-sac hernia. Anterior An enterocoele is a herniation of a peritoneum-lined sac containing small intestine through the pelvic floor, between the rectum and the vagina (in females).

Enterocoele is significantly more common in females, especially after hysterectomy

Dead ends are added to roads in urban planning designs to limit traffic in residential areas. Some dead ends prohibit all-through traffic, while others allow cyclists, pedestrians, or other non-automotive traffic to pass through connecting easements or paths. The latter case is an example of filtered permeability. It has been suggested that the terms enterocoele and sigmoidocoele are inaccurate, since hernias are usually named according to location and not according to contents. However, the terms are in widespread use. As such, enterocoele, peritoneocoele, sigmoidocoele, and omentocoele could be considered as types of cul-de-sac hernia. The word culdoscope (and culdoscopy) is derived from the phrase cul-de-sac, which in French literally means "bottom of a sac", here referring to a blind pouch or cavity in the female body that is closed at one end, that is the rectouterine pouch. As early as the 13th century, a cul-de-sac was a dead-end street (or a dead-end way), a blind alley.

Cul-de-sac hernia The herniated structure is the recto-uterine pouch (pouch of

Douglas) in females, or the rectovesical pouch in males. A cul-de-sac hernia (also termed a peritoneocele) is a herniation of peritoneal folds into the rectovaginal septum (in females), or the rectovesical septum A cul-de-sac hernia (also termed a peritoneocele) is a herniation of peritoneal folds into the rectovaginal septum (in females), or the rectovesical septum (in males). The hernia descends below the proximal (upper) third of the vagina in females, or, according to another definition, below the pubococcygeal line (PCL) 460409fadd

Lacks vaginal wall (or very thin and ulcerated vaginal wall). 460409fadd

Permeability (spatial and transport planning) The terms are often used interchangeably, although differentiated definitions also exist. those severed by arterial roads, or with many long culs-de-sac, are considered to discourage movement on foot and encourage longer journeys by car. those severed by arterial roads, or with many long culs-de-sac, are considered to discourage movement on foot and encourage longer journeys In urban design, permeability and connectivity are terms that describe the extent to which urban forms permit (or restrict) movement of people or vehicles in different directions. Urban forms which lack

permeability, e. g. permeability, e. g. Permeability is generally considered a positive attribute of an urban design, as it permits ease of movement and avoids severing neighbourhoods. There is some empirical research evidence to support this view 460409fadd

According to a consensus statement by the USA, Australia and the UK, a cul-de-sac hernia / peritoneocele is defined as "a protrusion of the peritoneum between the rectum and vagina that does not contain any abdominal viscera" (organs). An enterocele is defined as "a protrusion of the peritoneum between the rectum and vagina containing the small intestine." A sigmoidocele is defined as "a protrusion of the peritoneum between the rectum and vagina that contains the sigmoid colon." An omentocele is defined as "a protrusion of the omentum between the rectum and the vagina." As such, peritoneocele, enterocele, sigmoidocele, and omentocele could be considered as types of cul-de-sac hernia. 460409fadd

Kichatna Spire Cul-de-sac, Shelf and Shadows Glaciers originate at Kichatna Spire. Cul-de-sac, Shelf and Shadows Glaciers originate Kichatna Spire, sometimes called the Kichatna Spires, is a 8,985-foot (2,739 m) spire-shaped peak in the Kichatna

Mountains of the Alaska Range, in Denali National Park and Preserve, southwest of Denali. peak in the Kichatna Mountains of the Alaska Range, in Denali National Park and Preserve, southwest of Denali 460409fadd

[https://ftp.spruitsportcoaching.nl/!v/pub/slug?PPT=how-long-does-it\\_\\_take\\_for\\_\\_hair\\_\\_to\\_\\_dry](https://ftp.spruitsportcoaching.nl/!v/pub/slug?PPT=how-long-does-it__take_for__hair__to__dry)

[https://ftp.spruitsportcoaching.nl/=p/ebook/visit?CHAPTER=average\\_\\_weight\\_of\\_an\\_elephant](https://ftp.spruitsportcoaching.nl/=p/ebook/visit?CHAPTER=average__weight_of_an_elephant)

[https://ftp.spruitsportcoaching.nl/@j/play/search?KINDLE=benefits\\_for\\_sleeping-naked](https://ftp.spruitsportcoaching.nl/@j/play/search?KINDLE=benefits_for_sleeping-naked)

[https://ftp.spruitsportcoaching.nl/-x/lib/goto?PAGE=difference\\_between\\_\\_gay\\_\\_and-l-esbian](https://ftp.spruitsportcoaching.nl/-x/lib/goto?PAGE=difference_between__gay__and-l-esbian)

[https://ftp.spruitsportcoaching.nl/=l/book/key?BOOK=calpol\\_250-mg-syrup](https://ftp.spruitsportcoaching.nl/=l/book/key?BOOK=calpol_250-mg-syrup)

[https://ftp.spruitsportcoaching.nl/\\$h/ebook/data?EBOOK=us\\_\\_state\\_abbreviations-mi](https://ftp.spruitsportcoaching.nl/$h/ebook/data?EBOOK=us__state_abbreviations-mi)

[https://ftp.spruitsportcoaching.nl/!o/pub/niche?PPT=what\\_is\\_\\_a\\_\\_controlled\\_\\_experiment](https://ftp.spruitsportcoaching.nl/!o/pub/niche?PPT=what_is__a__controlled__experiment)