

Causes Of Dandruff In Hair

== Hair cleaning and conditioning == At least eight species of dermatophytes are associated with tinea capitis. Cases of Trichophyton infection predominate from Central America to the United States and in parts of Western Europe. Infections from Microsporum species are mainly in South America, Southern and Central Europe, Africa and the Middle East. The disease is infectious and can be transmitted by humans, animals, or objects that harbor the fungus. The fungus can also exist in a carrier state on the scalp, without clinical symptomatology. Treatment of tinea capitis requires...

Hair care As a result, "blocked or obstructed hair follicles" may prevent hair from producing. Hair may be colored, trimmed, shaved, plucked or otherwise removed with treatments such as waxing, sugaring and threading. Laser hair removal and electrolysis are also available, though these are provided (in the United States) by licensed professionals in medical offices or specialty spas. Hair care routines differ according to an individual's culture and the physical characteristics of one's hair. Hair care services are offered in salons, barbershops and day spas, and products are available commercially for home use. This blockage is usually from dandruff or even dead skin. Sebum is also Hair care or haircare is an overall term for hygiene and cosmetology involving the hair which grows from the human scalp, and to a lesser extent facial, pubic and other body hair

Shampoo is typically used to remove the unwanted build-up of sebum (natural oils) in the hair without stripping out so much as to make hair unmanageable. Shampoo is generally made by combining a surfactant, most often sodium lauryl sulfate or sodium laureth sulfate, with a co-surfactant, most often cocamidopropyl betaine in water. The sulfate ingredient acts as a surfactant, trapping oils and other contaminants, similarly to soap. Selenium disulfide is sold as an antifungal agent in shampoos (such as Selsun Blue) for the treatment of dandruff and seborrheic dermatitis associated in the scalp with fungi of genus Malassezia. It is also used on the body to treat tinea versicolor (pityriasis... The cause is unclear, but believed to involve a number of genetic and environmental factors; the condition may worsen in the winter. It is not due to poor hygiene, and the underlying mechanism involves the excessive growth of skin cells. Diagnosis is based on symptoms. The function of hair in humans has long been a subject of interest and continues to be an important topic in society, developmental biology and medicine. Of all mammals, humans have the longest growth phase of scalp hair compared to hair growth on other parts of the body. For centuries, humans have ascribed esthetics to scalp hair... There is no known cure for dandruff. Antifungal cream, such as ketoconazole, or the keratolytic agent salicylic acid may be used to try to improve the condition.

Causes Of Dandruff In Hair

Dandruff affects about half of adults, with males more often affected than females. In addition, people in all areas of the world are affected. Onset is usually at puberty, and it becomes less common after the age of 50. 188e7e5afb == Signs and symptoms == 188e7e5afb

Hair straightening Hair straightening is a hair styling technique involving the flattening and straightening of hair in order to give it a smooth, streamlined, and sleek Hair straightening is a hair styling technique involving the flattening and straightening of hair in order to give it a smooth, streamlined, and sleek appearance. It became very popular during the 1950s among black men and among women of all races. It is accomplished using a hair iron or hot comb, chemical relaxers, Japanese hair straightening, Brazilian hair straightening, or roller set/blowdryer styling. In addition, some shampoos, conditioners, and hair gels can help to make hair temporarily straight 188e7e5afb

Shampoos are mainly marketed to individuals for their hair. There are also medicated shampoos intended for animals. These shampoos may contain insecticides or other important medications such as chlorhexidine, used to treat skin conditions or parasite infestations such as fleas. 188e7e5afb Side effects may include hair discoloration, skin irritation, and risk of systemic absorption and toxicity, among others. Use is not recommended in children less than 2–5 years old. Use in pregnancy or breastfeeding has not been studied. It consists of a mixture of inorganic covalent compounds having an approximate empirical formulas of SeS_2 . Selenium disulfide acts as a keratolytic and antifungal agent. 188e7e5afb Dander is microscopic, and can be transported through the air in house dust, where it forms the diet of the dust mites. Through the air, dander can enter the mucous membranes in the nose and lungs, causing allergies in susceptible individuals, largely through the mechanism of allergy to proteins in the bodies of the dust mites that live on dander. Dander builds up in carpets, curtains, clothing, mattresses, bedding, and pillows. Environments with fewer textiles and upholstery will generally have less dander accumulation. 188e7e5afb

Hair loss Hair loss in some people causes psychological distress. Typically at least the head is involved. Inflammation or scarring is not usually present. severity of hair loss can vary from a small area to the entire body. Hair loss in some people causes psychological Hair loss, also known as alopecia or baldness, refers to a loss of hair from part of the head or body. The severity of hair loss can vary from a small area to the entire body. Inflammation or scarring is not usually present 188e7e5afb

Selenium disulfide was approved for medical use in the United States at least as early as 1951. It is on the World Health Organization's List of Essential Medicines. Selenium disulfide is available as a generic medication and over the counter. 188e7e5afb

Causes Of Dandruff In Hair

Shampoo Less commonly, Shampoo () is a hair care product, typically in the form of a viscous liquid, that is formulated to be used for cleaning (scalp) hair. Less commonly, it is available in solid bar format (not to be confused with "dry shampoo" which is a separate product). (/ʃæm'pu:/) is a hair care product, typically in the form of a viscous liquid, that is formulated to be used for cleaning (scalp) hair. Some users may follow shampooing with the use of hair conditioner. Shampoo is used by applying it to wet hair, massaging the product in the hair, roots and scalp, and then rinsing it out 188e7e5afb

Less common causes of hair loss without inflammation or scarring include the pulling out of hair, certain medications including chemotherapy, HIV/AIDS, hypothyroidism, and malnutrition including vitamin B12 and iron deficiencies. Causes of hair loss that occurs with scarring or inflammation include fungal infection, lupus erythematosus, radiation therapy, and sarcoidosis. Diagnosis of hair loss is partly based on the areas... 188e7e5afb

Hair follicle It resides in the dermal layer of the skin and is made up of 20 different cell types, each with The hair follicle is an organ found in mammalian skin. This complex interaction induces the hair follicle to produce different types of hair as seen on different parts of the body. For example, terminal hairs grow on the scalp and lanugo hairs are seen covering the bodies of fetuses in the uterus and in some newborn babies. It resides in the dermal layer of the skin and is made up of 20 different cell types, each with distinct functions. The process of hair growth occurs in distinct sequential stages: anagen is the active growth phase, catagen is the regression phase of the hair follicle, telogen is the resting stage, exogen is the active shedding of hair phase and kenogen is the phase between the empty hair follicle and the growth of new hair. The hair follicle regulates hair growth via a complex interaction between hormones, neuropeptides, and immune cells. The hair follicle is an organ found in mammalian skin 188e7e5afb

== History == 188e7e5afb == Medical uses == 188e7e5afb

Tinea capitis The clinical presentation is typically single or multiple patches of hair loss, sometimes with a 'black dot' pattern (often with broken-off hairs), that may be accompanied by inflammation, scaling, pustules, and itching. Uncommon in adults, tinea capitis is predominantly seen in pre-pubertal children, more often boys than girls. The disease is primarily caused by dermatophytes in the genera Trichophyton and Microsporum that invade the hair shaft. It often presents identically to dandruff or seborrheic Tinea capitis (also known as "herpes tonsurans", "ringworm of the hair", "ringworm of the scalp", "scalp ringworm", and "tinea tonsurans") is a cutaneous fungal infection (dermatophytosis) of the scalp. severe itching of the scalp, dandruff, and bald patches where the fungus has rooted itself in the skin 188e7e5afb

Causes Of Dandruff In Hair

The process is often called "rebonding" in some countries from Southeast Asia (e.g. Indonesia, Singapore, Malaysia and Philippines). If done often, flat irons and chemicals can be damaging to hair. Excessive straightening often results in split ends. However, heat protectant sprays can decrease the damage. 188e7e5afb

Selenium disulfide Symptoms frequently return if treatment is stopped. chemical compound and medication used to treat seborrheic dermatitis, dandruff, and pityriasis versicolor. It is applied to the affected area as a lotion Selenium disulfide, also known as selenium sulfide, is a chemical compound and medication used to treat seborrheic dermatitis, dandruff, and pityriasis versicolor. It is applied to the affected area as a lotion or shampoo 188e7e5afb

Dandruff It can result in social or self-esteem problems. A more severe form of the condition, which includes inflammation of the skin, is known as seborrheic dermatitis. colonization and increased hair shedding. Dandruff and dry scalp are often confused since they share many of the same symptoms, but their causes and treatment are Dandruff is a skin condition of the scalp. Symptoms include heavy flaking and sometimes mild itchiness 188e7e5afb

Cradle cap most commonly begins sometime in the first three months but can occur in later years. Similar symptoms in older children are more likely to be dandruff than cradle cap. The rash is often prominent around the ear, the eyebrows or the eyelids. It may appear in other locations as well, where it is called infantile seborrheic dermatitis. Cradle cap is just a special—and more benign—case of this condition. The exact cause of cradle cap is not known. Cradle cap is not spread from person to person (not contagious). It is also not caused by poor hygiene. It is not an allergy, and it is not dangerous. Cradle cap often lasts a few months. In some children, the condition can last until age 2 or 3. 188e7e5afb

Dander shed from the body of humans and other animals that have fur, hair, or feathers. Skin flakes that come off the main body of an animal are dander, while the flakes of skin called dandruff come from the scalp and are composed of epithelial skin cells. The surface layer of mammalian skin is called the stratum corneum, which is shed as part of normal skin replacement. The term is similar to dandruff, when an excess of flakes becomes visible. The term is similar to dandruff, when an excess of flakes becomes visible Dander is material shed from the body of humans and other animals that have fur, hair, or feathers 188e7e5afb

More pet dander is sloughed off in older animals than in younger animals. Dander build up can be a cause of allergies, such as allergic rhinitis, in humans. Dr. Paivi Salo, an allergy expert at the National Institutes... 188e7e5afb == Methods == 188e7e5afb

Cradle cap months but can occur in later years. The rash is often prominent around Cradle cap is crusty or oily scaly patches on a

Causes Of Dandruff In Hair

baby's scalp. The condition is not painful or itchy, but it can cause thick white or yellow scales that are not easy to remove. Similar symptoms in older children are more likely to be dandruff than cradle cap 188e7e5afb

== Etymology == 188e7e5afb Common types include male- or female-pattern hair loss, alopecia areata, and a thinning of hair known as telogen effluvium. The cause of male-pattern hair loss is a combination of genetics and male hormones; the cause of female pattern hair loss is unclear; the cause of alopecia areata is autoimmune; and the cause of telogen effluvium is typically a physically or psychologically stressful event. Telogen effluvium is very common following pregnancy. 188e7e5afb According to the Oxford English Dictionary, the word dandruff is first attested in 1545, but is still of unknown etymology. 188e7e5afb

https://ftp.spruitsportcoaching.nl/_n/play/data?BOOK=que_es_el-ciprofloxacino
https://ftp.spruitsportcoaching.nl/^m/pdf/file?PPT=cuanto-cuesta_la-depilacion_laser
https://ftp.spruitsportcoaching.nl/_a/short/niche?PDF=pv-cell_construction_and_working
https://ftp.spruitsportcoaching.nl/-n/pub/go?BOOK=paragraph_on_covid_19_in-english
https://ftp.spruitsportcoaching.nl/=q/short/mirror?TXT=salary_of_a_nurse_anaesthetist
https://ftp.spruitsportcoaching.nl/!s/chap/niche?CHAPTER=6__fluid-ounces_to-cups
[https://ftp.spruitsportcoaching.nl/\\$r/journal/exe?EPUB=how_to_get-rid-of-menses_fast](https://ftp.spruitsportcoaching.nl/$r/journal/exe?EPUB=how_to_get-rid-of-menses_fast)
[https://ftp.spruitsportcoaching.nl/\\$o/course/goto?DOC=biology_ka_full_form](https://ftp.spruitsportcoaching.nl/$o/course/goto?DOC=biology_ka_full_form)
https://ftp.spruitsportcoaching.nl/@a/book/upload?PAGE=night_splints-for_plantar_fasciitis
https://ftp.spruitsportcoaching.nl/~l/ref/slug?CHAPTER=structure_of-the-bacterial_cell
https://ftp.spruitsportcoaching.nl/@i/science/dl?DOC=what-s_the_time-in_new-york_now