

Folliculitis Bumps On Scalp

The five main types of psoriasis are plaque, guttate, inverse, pustular, and erythrodermic. Plaque psoriasis, also known as psoriasis vulgaris, makes up about 90% of cases. It typically presents as red patches with white scales on top. Areas of the body most commonly affected are the back of the forearms, shins, navel area and scalp. Guttate psoriasis has drop-shaped lesions. Pustular psoriasis presents as small, noninfectious, pus-filled blisters. Inverse psoriasis forms red patches in skin folds. Erythrodermic psoriasis occurs when the rash becomes very widespread and can develop from any of the other types. Fingernails and toenails are affected in most people with psoriasis at some point in time. This may include pits in the nails or changes in nail color. d845c7a87c It is sometimes equated with dermatophytosis, and, while most conditions identified as "tinea" are members of the imperfect fungi that make up the dermatophytes, conditions such as tinea nigra and tinea versicolor are not caused by dermatophytes. d845c7a87c

Rosacea Papulopustular rosacea presents with some permanent redness with red bumps (papules); some Rosacea is a long-term skin condition that typically affects the face. Often, the nose, cheeks, forehead, and chin are most involved. A red, enlarged nose may occur in severe disease, a condition known as rhinophyma. It results in redness, pimples, swelling, and small and superficial dilated blood vessels. also appear on the ears, neck, chest, upper back, and scalp d845c7a87c

List of skin conditions Within the latter type, the hairs occur in structures called pilosebaceous units, each with hair follicle, sebaceous gland, and associated arrector pili muscle. The two main types of human skin are: glabrous skin, the hairless skin on the palms and soles (also referred to as the "palmoplantar" surfaces), and hair-bearing skin. The skin weighs an average of four kilograms, covers an area of two square metres, and is made of three distinct layers: the epidermis, dermis, and subcutaneous tissue. The major function of this system is as a barrier against the external environment. In the embryo, the epidermis, hair, and glands form from the ectoderm, which is chemically influenced by the underlying mesoderm that forms the dermis and subcutaneous tissues. dermatitis of the scalp (erosive pustular dermatosis of the scalp) Erythromelanosia follicularis faciei et colli Folliculitis decalvans Folliculitis nares perforans Many skin conditions affect the human integumentary system—the organ system covering the entire surface of the body and composed of skin, hair, nails, and related muscles and glands d845c7a87c

The epidermis is the most superficial layer of skin, a squamous epithelium with several strata: the stratum corneum, stratum lucidum, stratum granulosum, stratum spinosum, and stratum basale. Nourishment is provided to these layers by diffusion from the dermis... d845c7a87c AKN is characterized by firm pink, flesh-colored or hyperpigmented bumps in the skin, which are usually located on the back of the head or neck. Acne keloidalis nuchae most commonly presents itself in individuals aged 13 to 25. The disease is closely related to pseudofolliculitis barbae and both occur frequently in black men in the military, where it is so common that the US Army has developed official protocols for management. Prolonged cases of AKN can cause keloid formation due to chronic irritation. Bacterial folliculitis and acne can mimic the appearance of AKN; however, unlike acne, comedones are not seen with AKN. d845c7a87c Rosacea is not curable, but treatment usually

improves symptoms. Treatment is typically with metronidazole, doxycycline, minocycline, or tetracycline. When the eyes are affected, azithromycin eye drops may help. Other treatments with tentative benefit include brimonidine cream, ivermectin cream, and isotretinoin. Dermabrasion or laser surgery may also be used. The use of sunscreen is typically recommended. d845c7a87c Diagnosis is generally by history and visualisation of the rash. The condition is not due to infection and swabs of the... d845c7a87c Mechanical factors that typically trigger irritant folliculitis include hair removal by razor, waxing, electrolysis, and by plucking. Repeated rubbing of skin such as friction on the inner thighs, may result in the irritation. Sunlight, and prolonged pressure such as sitting on one's bottom for long periods of time, may also trigger irritant folliculitis. Irritant folliculitis may occur following the use of some medications or contact with irritant chemicals such as cutting fluids and coal tar. Tight hair styles may cause irritant folliculitis on the scalp. Other factors that increase chances of skin friction and moisture include obesity. d845c7a87c == Demographics == d845c7a87c Treatments for AKN aim to reduce inflammation and prevent infections and scarring. Therapies for AKN may include topical antibiotics, topical or intralesional corticosteroids, and laser hair removal. Recommended modifications to shaving habits include liberal use of shaving cream, avoidance of stretching the skin while shaving, and use of a single-blade razor rather than a razor with multiple blades. d845c7a87c

List of types of tinea Tinea is a very common fungal infection of the skin. The disease is primarily Tinea or ringworm is any of a variety of skin mycoses. "Ringworm of the scalp", "Scalp ringworm", and "Tinea tonsurans" is a superficial fungal infection (dermatophytosis) of the scalp. Tinea is often called "ringworm" because the rash is circular, with a ring-like appearance d845c7a87c

== Causes == d845c7a87c

Lichen simplex chronicus It typically affects the neck, scalp, upper eyelids, ears, palms, soles, Lichen simplex chronicus (LSC) is thick leathery skin with exaggerated skin markings caused by sudden itching and excessive rubbing and scratching. It often develops gradually and the scratching becomes a habit. It typically affects the neck, scalp, upper eyelids, ears, palms, soles, ankles, wrists, genital areas and bottom. scratching. It generally results in small bumps, patches, scratch marks and scale. It generally results in small bumps, patches, scratch marks and scale d845c7a87c

Irritant folliculitis It characteristically presents with small red bumps in the skin at sites of occlusion, Irritant folliculitis is an inflammation of the hair follicle. Irritant folliculitis is an inflammation of the hair follicle. Pseudofolliculitis barbae is a type of irritant folliculitis in the beard area. An associated itch may or may not be present. It characteristically presents with small red bumps in the skin at sites of occlusion, pressure, friction, or hair removal; typically around the beard area in males, pubic area and lower legs of females, or generally the inner thighs and bottom d845c7a87c

Psoriasis Injury to the skin can trigger psoriatic skin changes at that spot, which is known as the Koebner phenomenon. patches with white scales on top. These areas are red, pink, or purple, dry, itchy, and scaly. Guttate psoriasis has Psoriasis is a long-lasting, noncontagious autoimmune disease characterized by patches of abnormal skin. Psoriasis varies in severity from small localized patches to complete body coverage. Areas of the body most commonly affected are the back of the forearms, shins, navel area and scalp d845c7a87c

== Signs and symptoms == d845c7a87c

Acne miliaris necrotica There may be scarring. It presents as multiple fluid-filled bumps, sometimes occurring as solitary lesions Acne miliaris necrotica is a severe form of folliculitis of typically the scalp. It presents as multiple fluid-filled bumps, sometimes occurring as solitary lesions that are usually very itchy. Shortly after appearing, the bumps burst and dry up. miliaris necrotica is a severe form of folliculitis of typically the scalp d845c7a87c

The cause of rosacea is unknown. Risk factors include a family history of the condition. Factors that may potentially worsen the condition include heat, exercise, sunlight, cold, spicy food, alcohol, menopause, psychological stress, or use of steroid cream on the face. Diagnosis is based on symptoms. d845c7a87c 2... d845c7a87c

Dissecting cellulitis of the scalp Boggy tissue has a high fluid level that results in a spongy feeling. Dissecting cellulitis of the scalp, also known as dissecting folliculitis, perifolliculitis capitis abscedens et suffodiens of Hoffman, perifolliculitis Dissecting cellulitis of the scalp, also known as dissecting folliculitis, perifolliculitis capitis abscedens et suffodiens of Hoffman, perifolliculitis abscedens et suffodiens, or folliculitis abscedens et suffodiens, is an inflammatory condition of the scalp that can lead to scarring alopecia, which begins with deep inflammatory nodules, primarily over occiput, that progresses to coalescing regions of boggy scalp. Isotretinoin proves to be the medicine of choice for the treatment of the disease d845c7a87c

Psoriasis is generally thought to be a genetic disease that is triggered... d845c7a87c

Hair follicle It resides in the dermal layer of the skin and is made up of 20 different cell types, each with distinct functions. For example, terminal hairs grow on the scalp and lanugo hairs are seen covering the bodies of fetuses in the uterus and in some newborn babies. The process of hair growth occurs in distinct sequential stages: anagen is the active growth phase, catagen is the regression phase of the hair follicle, telogen is the resting stage, exogen is the active shedding of hair phase and kenogen is the phase between the empty hair follicle and the growth of new hair. The hair follicle regulates hair growth via a complex interaction between hormones, neuropeptides, and immune cells. This complex interaction induces the hair follicle to produce different types of hair as seen on different parts of the body. male alopecia Alopecia The hair follicle is an organ found in mammalian skin. Seborrheic dermatitis of the scalp and dandruff, Folliculitis decalvans, Androgenetic alopecia, Scalp psoriasis and Alopecia areata d845c7a87c

== Tinea pedis (foot) == d845c7a87c The cause may be a result of an inflammatory reaction to part of the hair follicle and S. aureus. d845c7a87c People burdened with LSC report pruritus, followed by uncontrollable scratching of the same body region, excessively. Most common sites of LSC are the sides of the neck, the scalp, ankles, vulva, pubis, scrotum, and extensor sides of the forearms. However, due to the stigma associated with chronic scratching, some patients will not admit to chronic rubbing or abrasion. The skin may become thickened and hyperpigmented (lichenified) as a direct result of chronic excoriation. Typically this period of increased scratching is associated with stressors. d845c7a87c

Acne keloidalis nuchae (AKN), is a destructive scarring folliculitis that occurs most commonly on the occipital scalp of people of African descent, primarily men

Dissecting cellulitis of the scalp predominantly affects adult men of African descent, typically between the ages of 20 and 40. It has been documented globally and can occasionally occur in women, children, and individuals of other racial backgrounds. There are rare instances of it running in families. The function of hair in humans has long been a subject of interest and continues to be an important topic in society, developmental biology and medicine. Of all mammals, humans have the longest growth phase of scalp hair compared to hair growth on other parts of the body. For centuries, humans have ascribed esthetics to scalp hair... Rosacea affects between 1% and 10% of people. Those affected are most often 30 to 50 years old and female. Fair-skinned people seem to be more commonly affected. The condition was...

https://ftp.spruitsportcoaching.nl/@c/science/key?PAGE=average_height-in_philippines

https://ftp.spruitsportcoaching.nl/_j/doc/url?EBOOK=what_color_of-dress

[https://ftp.spruitsportcoaching.nl/\\$h/ref/find?BOOK=literacy-rate_of__madhya-pradesh](https://ftp.spruitsportcoaching.nl/$h/ref/find?BOOK=literacy-rate_of__madhya-pradesh)

https://ftp.spruitsportcoaching.nl/@c/journal/key?KINDLE=para-que_es-la-trimetoprima

https://ftp.spruitsportcoaching.nl/_f/play/data?TXT=how__often-do_cats__need_rabies-shots

https://ftp.spruitsportcoaching.nl/+b/book/key?PLAY=how_do_men-get__yeast__infections

https://ftp.spruitsportcoaching.nl/^i/pdf/file?DOC=right__iliac__fossa-pain

https://ftp.spruitsportcoaching.nl/^s/lib/file?TXT=where__is-panama-country

https://ftp.spruitsportcoaching.nl/_a/short/dl?EBOOK=trump_administration-nih-funding_block

https://ftp.spruitsportcoaching.nl/^x/journal/link?DOC=douleur_dans__le_flanc_droit

https://ftp.spruitsportcoaching.nl/_y/pdf/url?EPUB=port_kennedy_medical_centre

https://ftp.spruitsportcoaching.nl/~q/lib/search?CHAPTER=diabetes-tipo__2__o__que_e

[https://ftp.spruitsportcoaching.nl/\\$o/text/link?BOOK=lying-down-meaning_in_tamil](https://ftp.spruitsportcoaching.nl/$o/text/link?BOOK=lying-down-meaning_in_tamil)

https://ftp.spruitsportcoaching.nl/~z/short/dl?RTF=how__many-times_is__normal-to_urinate__at__night