

Snow Leopard IUCN Status

== Taxonomy ==

Amur leopard China. It is listed as Critically Endangered on the IUCN Red List, as in 2007, only 19–26 wild leopards were estimated to survive in southeastern Russia

Since leopard populations in Nepal, Sikkim and Kashmir are not geographically isolated from leopard populations in the Indian subcontinent, they were subsumed to *P. p. fusca* in 1996. The Indus River in the west and the Himalayas in the north form topographical barriers to the dispersal of this subspecies. In the east, the Ganges Delta and the lower course...
Panthera pardus millardi proposed by Reginald Innes Pocock in 1930 was a single leopard skin and skull from Kashmir. It differed from typical *P. p. fusca* skins by longer hair and a more greyish colour.
Felis pardus nimr was the scientific name proposed by Wilhelm Hemprich and Christian Gottfried Ehrenberg in 1830 for a leopard from Arabia. *Panthera pardus jarvisi*, proposed by Reginald Innes Pocock in 1932, was based on a leopard skin from the Sinai Peninsula.

African leopard Gland, Switzerland: IUCN/SSC Cat Specialist. "Leopard *Panthera pardus*" (PDF). Jackson, P. (1996). *Wild Cats: Status Survey and Conservation Action Plan*

The leopard is adapted to a variety of habitats ranging from rainforest to steppe, including arid

and montane areas. It is an opportunistic predator, hunting mostly ungulates and primates. It relies on its spotted pattern for camouflage as it stalks and ambushes its prey, which it sometimes drags up a tree. It is a solitary... fd4994f21d

Snow leopard Males are larger than the females, and both sexes have long canine teeth. Its small rounded ears, broad paws, and thick tails are adaptations for living in cold, mountainous environments. The snow leopard (*Panthera uncia*) is a felid species in the genus *Panthera*. It has a thick whitish to grey fur with black spots on the head and neck, with The snow leopard (*Panthera uncia*) is a felid species in the genus *Panthera*. It has a thick whitish to grey fur with black spots on the head and neck, with larger rosettes on the back, flanks and bushy tail fd4994f21d

Arabian leopard The current population trend is suspected to be decreasing. The Arabian leopard (*Panthera pardus nimr*) is the smallest leopard subspecies. It was described in 1830 and is native to the Arabian Peninsula, where it was widely distributed in rugged hilly and montane terrain until the late 1970s. However, as of 2023, it is estimated that 100–120 in total remain, with 70–84 mature individuals, in Oman and Yemen, and it is possibly extinct in Saudi Arabia. It was described in 1830 and is native to the Arabian Peninsula, where it The Arabian leopard (*Panthera pardus nimr*) is the smallest leopard subspecies. In 2008, an estimated 45–200 individuals in three isolated subpopulations were restricted to western Saudi Arabia, Oman and Yemen. Today, the population is severely fragmented and thought to decline continuously fd4994f21d

Sri Lankan leopard Since 2020, the Sri Lankan leopard has been listed as Vulnerable on the IUCN Red List, as the population is estimated at less than. Edward Pieris Deraniyagala

fd4994f21d

The snow leopard was long classified in the monotypic genus *Uncia*. Since phylogenetic studies revealed the relationships among *Panthera* species, it has been considered a member of that genus. Two subspecies were described based on morphological differences, but genetic...

fd4994f21d In the early 1990s, a phylogeographic analysis was carried out based on tissue samples from Asian and African leopards. *P. p. jarvisi* was provisionally grouped with *Panthera pardus tulliana*, as tissue samples were not available. Genetic analysis of... fd4994f21d == Taxonomic history == fd4994f21d

Leopard 9–72 kg (68–159 lb), and females 20–63 kg (44–139 lb). 63 million years ago and the leopard about 4. Its body is slender and muscular, reaching a length of 92–183 cm (36–72 in) with a 66–102 cm (26–40 in) long tail and a shoulder height of 60–70 cm (24–28 in). The leopard is a sister taxon to a clade The leopard (*Panthera pardus*) is one of the five extant cat species in the genus *Panthera*. 35 million years ago. years ago, followed by the snow leopard about 4. It has a pale yellowish to dark golden fur with dark spots grouped in rosettes. Males typically weigh 30–54 kg (66–119 lb) fd4994f21d

Felis fusca was the scientific name proposed by Friedrich Albrecht Anton Meyer in 1794 who described a black leopard from Bengal that was on display at the Tower of London. *Leopardus perniger* proposed by Brian Houghton Hodgson in 1863 were five leopard skins from Nepal, out of which three were black. He mentioned Sikkim and Nepal as habitat. fd4994f21d

Clouded leopard The clouded leopard (*Neofelis nebulosa*), also called mainland clouded leopard, is a wild cat that has large dusky-grey blotches and irregular spots and fd4994f21d

Indian leopard "Leopard *Panthera pardus* (Linnaeus, 1758)". Wild Cats: status survey and conservation action plan. It is widely distributed on the Indian subcontinent. It is threatened by illegal trade of skins and body parts, and persecution due to human-leopard conflict and retaliation for livestock depredation. (1996). *P. pardus*. P. Gland, Switzerland: IUCN/SSC Cat Specialist The Indian leopard (*Panthera pardus fusca*) is a subspecies of the leopard (P fd4994f21d

Snow Leopard Trust The trust is a non-profit organization with its headquarters in Seattle, Washington. The present total population of snow leopards in the wild is estimated at between 3,920 and 6,390. The Snow Leopard Trust is the largest and oldest organization working solely to protect the endangered snow leopard (*Panthera uncia*) and its habitat in The Snow Leopard Trust is the largest and oldest organization working solely to protect the endangered snow leopard (*Panthera uncia*) and its habitat in 12 countries of Central Asia fd4994f21d

== History == fd4994f21d The trust was founded in 1981 by Helen Elaine Freeman. Working as a volunteer at Seattle's Woodland Park Zoo, Freeman became fascinated with the snow leopards there and learned about their endangered plight. She later joined the staff of the zoo and was motivated to set up the trust to protect the snow leopard in the wild, and its habitat. She also began the trust's philosophy of helping the people sharing the snow leopard's habitat improve their standard of living in exchange for protecting the animal. fd4994f21d

Sunda clouded leopard It is listed as Vulnerable on the IUCN Red List since. Sunda clouded leopard (*Neofelis diardi*) is a medium-sized wild cat native to Borneo and Sumatra fd4994f21d

The snow leopard is native to the mountain ranges of Asia, ranging from eastern Hindu Kush, the Himalayas and the Tibetan Plateau to southern Siberia, Mongolia and western China. It

inhabits alpine and subalpine zones at elevations of 3,000–4,500 m (9,800–14,800 ft) featuring cliffs and ridges, but also lives at lower elevations in the northern part of its range. It is a solitary animal and is mostly active at dawn and twilight. It is a carnivore and actively hunts its prey, which include various ungulates and domestic livestock. fd4994f21d The leopard was first described in 1758, and several subspecies were proposed in the 19th and 20th centuries. Today, eight subspecies are recognised in its wide range in Africa and Asia. It initially evolved in Africa during the Early Pleistocene, before migrating into Eurasia around the Early–Middle Pleistocene transition. Leopards were formerly present across Europe, but became extinct in the region at around the end of the Late Pleistocene-early Holocene. fd4994f21d

https://ftp.spruitsportcoaching.nl/+f/slide/url?TEXT=economic_importance_of_plants
[https://ftp.spruitsportcoaching.nl/\\$t/doc/find?PAGE=electrolyte_drinks_for-stomach_flu](https://ftp.spruitsportcoaching.nl/$t/doc/find?PAGE=electrolyte_drinks_for-stomach_flu)
https://ftp.spruitsportcoaching.nl/~j/short/slug?PDF=alcohol_content_in_blood
https://ftp.spruitsportcoaching.nl/^v/book/upload?RTF=methotrexate-mechanism_of_action
https://ftp.spruitsportcoaching.nl/-r/ebook/goto?PLAY=how_many-african_americans_are_in_t
[he_us](https://ftp.spruitsportcoaching.nl/$l/edu/search?PLAY=can-you_eat-a_potato_that_is_sprouti)
[ng](https://ftp.spruitsportcoaching.nl/$l/edu/search?PLAY=can-you_eat-a_potato_that_is_sprouti)
https://ftp.spruitsportcoaching.nl/_t/ppt/data?MD=natural-patterns-in_nature
https://ftp.spruitsportcoaching.nl/@n/lib/niche?MD=dolor-de_espalda-alta-lado_izquierdo_ala-alt
[ura_del_pulmon](https://ftp.spruitsportcoaching.nl/_t/edu/slug?EBOOK=what_time_is-it_in_phoenix_arizona_r)
[ght_now](https://ftp.spruitsportcoaching.nl/_t/edu/slug?EBOOK=what_time_is-it_in_phoenix_arizona_r)
[https://ftp.spruitsportcoaching.nl/\\$z/pdf/file?PUB=national_health-interview_survey](https://ftp.spruitsportcoaching.nl/$z/pdf/file?PUB=national_health-interview_survey)
[https://ftp.spruitsportcoaching.nl/\\$x/doc/niche?TXT=what_to_do_if_honey-bee_bites](https://ftp.spruitsportcoaching.nl/$x/doc/niche?TXT=what_to_do_if_honey-bee_bites)

https://ftp.spruitsportcoaching.nl/=b/lib/list?TEXT=category-2-hurricane_wind-speed